Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L12	2	"5903600".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L13	18	"693835"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 14:09
L14	768	(pll with receiver) with (pll with transmitter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L15	4277	375/376	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L16	100	L14 and L15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L17	2	"5903600".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L18	2	"5790606".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/10/19 14:09
L19	25	(pll with receiver) with (pll with transmitter) with different	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L20	3	"9626578"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 14:09

L21	2	"5903600".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L22	16	("3921095" "4061979" "4238740" "4365210" "4389622" "4419633" "4625180" "4667169" "4812783" "4841255" "4951005" "5008629" "5103192" "5124669" "5128632" "5304951").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/19 14:09
L23	104	(pll with receiver) and (pll with transmitter) and (switch with transceiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:11
L24	1771	375/373	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L25	32	L14 and L24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/10/19 14:09
L26	1939	455/260	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L27	. 72	L14 and L26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L28	178	375/215	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L29	4	L14 and L28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09

L30	18	(pll with receiver) and (pll with transmitter) and ((simplex) or (semi with duplex))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:14
L31	3743	375/354	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L32	28	L14 and L31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L33	11	"08/907,594"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L34	18	(pll with receiver) and (pll with transmitter) and (simplex)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L35	1	((pll with receiver) and (pll with transmitter) and ((simplex) or transmission with only)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/10/19 14:09
L36	0	(pll with receiver) with (pll with transmitter) with diffrent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L37	234	455/180.3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L38	3175	327/156	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L39	1320	327/147	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09

L40	25	L14 and L39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L41	1120	375/327	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:28
L42	213	375/294	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L43	979	(pll with receiver) and (pll with transmitter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L44	0	(pll with receiver) with (pll with transmitter) with diffrent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L45	1	((pll with receiver) and (pll with transmitter) and (simplex or (transmission with only) or (reception with only))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L46	0	(pll with receiver) and (pll with transmitter) and (switch with tranceiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L47	1	((pll with receiver) and (pll with transmitter) and (simplex or (transmission with only))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L48	0	(pll with receiver) and (pll with transmitter) and (semi with duplex)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L49	6	L14 and L42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09

L50	0	(pll with receiver) and (pll with transmitter) and semi adj duplex	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L51	61	L14 and L38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L52	38	L14 and L41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L53	13	L14 and L37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L54	0	((pll with receiver) and (pll with transmitter) and (simplex)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L55	25	(pll with receiver) with (pll with transmitter) with different	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:09
L56	0	pll with (mininum adj time) with before	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:12
L57	1	pll with (minimum adj time) with before	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:14
L58	979	(pll with receiver) and (pll with transmitter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:14
L59	1	pll same (minimum adj time) with before	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:14

L60	29	pll and (minimum adj time) with before	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:15
L61		58 and 60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:14
L62	2	(pll and (minimum adj time) with before).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:15
L63	2	"6535968".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:29
L64	2	"4943787".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 14:29

PALM Intrane	et						10
Application Number		Sub	mit				a manara yaki waki ya manara ka ma a ma a ma a ma a ma a ma a ma
IDS Flag Clo	earance for Ap	oplication 0996	6507				
	Content	Mailroom Date	Entry Number	IDS Review	Last Modified	Reviewer	
	M844	2005-06-22	17	Y 🗹	2005-10-06 12:04:42.0	jtorres1	
	Update						



Day: Thursday Date: 10/19/2006 Time: 12:05:57

Continuity Information for 09/966507

Parent Data
No Parent Data

Child Data

No Child Data Appln Info Contents Petition Info	Atty/Agent Info Continuity/Reexam Foreign Data Inv
Search Another: Application#	Search or Patent# Search
PCT /	Search or PG PUBS # Search
Attorney Docket #	Search
Bar Code #	Search

To go back use Back button on your browser toolbar.



Day: Thursday Date: 10/19/2006 Time: 12:06:02

Foreign Information for 09/966507

Priority#	Date	Country	
2000-61478	10/19/2000	REPUBLIC OF KOREA	
Appln Info Conte		tty/Agent Info Continuity/Reexam Data Search Or Patent# Search	n Inventor
PC'	Γ/ Sea	rch or PG PUBS # Search	
Att	orney Docket #	Search	
	· Code #	Search	

To go back use Back button on your browser toolbar.



Day: Thursday Date: 10/19/2006 Time: 12:06:05

Inventor Information for 09/966507

Inventor Name	City	State/Country
JO, KANG-HYUN	SEOUL	KOREA, REPUBLIC OF
LEE, KYUNG-MIN	SEOUL	KOREA, REPUBLIC OF
Appln Info Contents Petition Info	Atty/Agent Ir	nfo Continuity/Reexam Foreign Data
Search Another: Application# PCT / /	Search Search	or Patent# Search Or PG PUBS # Search
Attorney Docket #		Search
Bar Code #	Searc	<u>h</u>

To go back use Back button on your browser toolbar.



Day: Thursday Date: 10/19/2006 Time: 12:06:10

Inventor Name Search Result

Your Search was:

Last Name = JO

First Name = KANG-HYUN

Application#	Patent#	Status	Date Filed	Title	Inventor Name
09966507	Not Issued	80		Apparatus and method for generating transmission and reception local oscillation signals in a mobile terminal	

Inventor Search Completed: No Records to Display.

Search Another: Inventor	Last Name	First Name	
Search Another. Inventor	JO	KANG-HYUN	Search

To go back use Back button on your browser toolbar.



Day: Thursday Date: 10/19/2006 Time: 12:06:15

Inventor Name Search Result

Your Search was:

Last Name = LEE

First Name = KYUNG-MIN

F.							
	Application#	Patent#	Status	Date Filed	Title	Inventor Name	
		5903600	150	12/30/1996	AUTOMATIC FREQUENCY CONTROL CIRCUIT FOR DIGITAL RADIO COMMUNICATION SYSTEM	LEE, KYUNG-MIN	
	09737372	<u>6546234</u>	150	12/15/2000	APPARATUS AND METHOD FOR COMPENSATING RECEIVED SIGNAL STRENGTH INDICATOR ACCORDING TO TEMPERATURE	LEE, KYUNG-MIN	
	09966507	Not Issued	80	09/28/2001	Apparatus and method for generating transmission and reception local oscillation signals in a mobile terminal	LEE, KYUNG-MIN	
	10177723	6788254	150	06/21/2002	WIDEBAND INTERNAL ANTENNA WITH ZIGZAG-SHAPED CONDUCTIVE LINE	LEE, KYUNG-MIN	
	10896964	Not Issued	20	07/23/2004	Computer system	LEE, KYUNG-MIN	
	11349169	Not Issued	25	02/08/2006	Method for reconfiguring application using subtyping-based flexible service adaptation in pervasive computing environment and system thereof	LEE, KYUNG-MIN	

Inventor Search Completed: No Records to Display.

Last Name

First Name

Search Another: Inventor

KYUNG-MIN

Search

To go back use Back button on your browser toolbar.



Day: Thursday Date: 10/19/2006 Time: 12:06:33

Correspondence Address for 09/966507

Customer Number	Contact Information	Address			
28249	Telephone: (516)228-8484 Fax: (516)228-8516 E-Mail: No E-Mail Address	DILWORTH & BARRESE, LLP 333 EARLE OVINGTON BLVD. UNIONDALE NY 11553			
Appln Info Contents	Petition Info Atty/Agent Info	Continuity/Reexam Foreign Data			
Search Another: Appl	ication# Search	or Patent# Search			
PCT /	/ Search or P	G PUBS # Search			
Attorne	ey Docket #	Search			
Bar Co	de # Search				

To go back use Back button on your browser toolbar.

drjatorres@gmail.com | Search History | My Account | Sign out

Go to Google Home

 Web
 Images
 Video
 News
 Maps
 more »

 pll "before minimum time"
 Search
 Advanced Search Preferences

Web

Tip: Try removing quotes from your search to get more results.

Your search - pll "before minimum time" - did not match any documents.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

drjatorres@gmail.com | Search History | My Account | Sign out

Go to Google Home

Web Images Video News Maps more »

pll before "minimum time"

Search Advanced Search Preferences

Web

Results 1 - 10 of about 25,600 for pll before "minimum time". (0.51 seconds)

[PDF] CLOCK & POWER MANAGEMENT (Preliminary)

File Format: PDF/Adobe Acrobat - View as HTML

The lock time is the minimum time required for PLL output stabilization. ... instead of the

Upll(PLL output) before the S/W newly configures the UPLLCON. ...

www.handhelds.org/platforms/hp/ipaq-h5xxx/03-clock_power.pdf - Similar pages

[PDF] AMD Athlon(TM) Processor Module Signal and Power-Up Requirements ...

File Format: PDF/Adobe Acrobat - View as HTML

Before PWROK. assertion, the AMD Athlon processor is clocked by a ring. oscillator. This

minimum time is not specified. The AMD Athlon processor PLL is ...

www.amd.com/us-en/assets/content_type/white_papers_and_tech_docs/23811.pdf -

Similar pages

[PDF] More Effective Troubleshooting Using Data Collection On Etch ...

File Format: PDF/Adobe Acrobat

perform the required maintenance on the equipment before a. scrap incident occurs. Case

Study 4: PLL Pressure Reading Error ...

ieeexplore.ieee.org/iel3/4868/13441/00616326.pdf?arnumber=616326 - Similar pages

[PDF] On-chip calibration technique for delay line based BIST jitter ...

File Format: PDF/Adobe Acrobat

is enabled by the calibration control logic, selecting the PLL under ... a LPF with a

minimum time constant of 0.65 μs. This will guarantee ...

ieeexplore.ieee.org/iel5/9255/29372/01328352.pdf - Similar pages

The Jitters

The basic premise of a PLL is that it carefully adjusts its own clock, ... carefully about the consequences **before** you move ahead with your system design. ... www.sigcon.com/Pubs/straight/jitters.htm - 18k - Cached - Similar pages

iSYSTEM Rolls Out winIDEA 9.4 with New CPU and Device Support

Added optional delay for **PLL** initialization **before** emulator starts using second clock ... 50-bit time stamp counter (no time limit); 20ns **minimum time** stamp ... www.embeddedstar.com/press/content/2004/5/embedded14403.html - 25k -

Cached - Similar pages

Silicon Devices Circuit Resources: VCO Modelling and Simulation ...

The transient simulation's **minimum time**-step should be set fine enough to prevent magnitude ... in FMmod.zip) to emulate the behaviour of the VCO in a **PLL**.... www.silicondevices.com/Resources/AppsNotes/ModellingVCOs.html - 21k - Cached - Similar pages

EETimes.com

However, the PLL, which provided a critical function for the chip, contained analog and ... Co-verification allows maximum flexibility and **minimum time** to ... www.eetimes.com/editorial/1997/coverstory9707.html - 70k - Cached - Similar pages

[PDF] AV9110 Serially Programmable Frequency Generator

File Format: PDF/Adobe Acrobat - View as HTML

CE is taken high before 24 clock cycles have elapsed, the data ... The AV9110 is a

classical PLL circuit and the VCO output frequency is given by: ...

www-ese.fnal.gov/eseproj/SVX/BERT/PLL_clock_chip.pdf - Similar pages

[PDF] Jitter Analysis -- Quick Reference

File Format: PDF/Adobe Acrobat

PLL response with modulation. Figure 8. The FFT of the data from Fig 8. ... The arm delay sets the minimum time from an arm event to the first measurement ... www.wavecrest.com/technical/pdf/GigaView_Getting_Started_Guides/GHFM.PDF -

Similar pages

Result Page:

1 2 3 4 5 6 7 8 9 10

Next

Free! Speed up the web. Download the Google Web Accelerator.

pll before "minimum time"

Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google





About Us

Newsroom

Advisory Board

Submit Web Site

Help

Contact Us

R	2	•	i	_	S	_	_	-	_	h
0	a		1	L.	-3		-			ш

Advanced Search Search Preferences

Downloads | Subscribe to News Updates | User Feedback | Advertising Tell A Friend | Terms Of Service | Privacy Policy | Legal

Powered by FAST © Elsevier 2006



About Us

Newsroom

Advisory Board

Submit Web Site

Help

Contact Us

Basic Search

Advanced Search Search Preferences

pll AND "before a minimum time"	Search
✓ Journal sources ✓ Preferred Web sources	Other Web sources Exact phrase

Sorry, your search has not produced any results. Before searching again, using the same or similar keywords, you may find it helpful to:

- check the selected sources, information types and subject areas, the selection may not contain results matching your query
- check the spelling of all words
- spell words in a different way, for example using American spelling
- write abbreviations and acronyms in full
- use alternative words that have the same meaning
- search using fewer or more general words

<u>Downloads</u> | <u>Subscribe to News Updates</u> | <u>User Feedback</u> | <u>Advertising</u> <u>Tell A Friend</u> | <u>Terms Of Service</u> | <u>Privacy Policy</u> | <u>Legal</u>

Powered by FAST © Elsevier 2006

Check out who is being cited



Home | Login | Logout | Access Information | Alerts | Sitemap

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPOF

Results for "(((pll<in>metadata) <and> (minimum time<in>metadata))) <and> (pyr >..." Your search matched 1 of 1424023 documents.

⊠e-mail 🖺 printer

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

» Key

Modify Search

view selected items

(((pll<in>metadata) <and> (minimum time<in>metadata))) <and> (pyr >= 1950 <a

Check to search only within this results set

Display Format: © Citation C Citation & Abstract

IEEE Journal or **IEEE JNL** Magazine

IEE Journal or Magazine **IEE JNL**

IEEE Conference Proceeding

IEE CNF

IEEE CNF

IEE Conference

Proceeding

IEEE STD IEEE Standard

1. A variable delay line PLL for CPU-coprocessor synchronization

Select All Deselect All

Johnson, M.G.; Hudson, E.L.;

Solid-State Circuits, IEEE Journal of

Volume 23, Issue 5, Oct. 1988 Page(s):1218 - 1223

Digital Object Identifier 10.1109/4.5947

AbstractPlus | Full Text: PDF(592 KB) | IEEE JNL

Rights and Permissions

Contact Us Privacy & Security

© Copyright 2006 IEEE - All Rights

園 Inspec